

Hospital Episode Statistics (HES) Admitted Patient Care (APC) Data Dictionary

Version 2.8

Date: 18 November 2024

Documentation Control Sheet

Over time, it may be necessary to issue amendments or clarifications to parts of this document. This form must be updated whenever changes are made.

Version	Affected Areas Summary of Change	Prepared By	Reviewed By
1.0	Initial		
1.1	Modified	Shivani Puri	Susan Eaton
1.2	Modified	Shivani Puri	Arlene Gallagher
1.3	Modified	Shivani Puri	Rachael Boggon
1.4	Modified	Tarita Murray-Thomas	Helen Strongman
1.5	Modified	Grant Lee	Tarita Murray-Thomas
1.6	Formatted	Grant Lee	Helen Strongman
1.7	Modified	Tarita Murray-Thomas	Shivani Padmanabhan
1.8	Modified	Tarita Murray-Thomas	Shivani Padmanabhan Helen Strongman
1.9	Modified	Tarita Murray-Thomas	Shivani Padmanabhan
1.10	Modified	Tarita Murray-Thomas	Dan Dedman
2.0	Modified and Formatted	Dan Dedman, Arlene Gallagher	
2.1	Modified	Dan Dedman	Tarita Murray-Thomas
2.2	Modified	Tarita Murray-Thomas	Arlene Gallagher
2.3	Modified	Dan Dedman	Tarita Murray-Thomas
2.4	Modified	Helen Booth	Dan Dedman
2.5	Modified	Rachael Williams	Tarita Murray-Thomas
2.6	Modified	Tarita Murray-Thomas	Mike Lonergan
2.7	Modified	Tarita Murray-Thomas	Chisomo Mutafya
2.8	Modified	Holly Bennett	Jennifer Campbell

Summary of changes

Version 1.1

- Refined wordings
- Added critical care data file (hes_ccare.txt)

Version 1.2

- Added new field (HESid) in source file
- Formatted all diagnosis ICD codes into XXX, or XXX.X format
- Added new field (ICDx) in diagnoses tables

Version 1.3

- Prefixed all files with HES_
- Removed source table – make use of linkage_eligibility.txt to define cohort of linked patients
- Removed birthyear and gender fields from patient file (hes_patient.txt)
- Added new fields (gen_hesid, n_patid_hes) to patient file (hes_patient.txt)
- Removed primary field from diagnoses by episode table (hes_diagnosis_epi.txt)
- Added new field (d_order) in diagnoses by episode table (hes_diagnosis_epi.txt)
- Added new field (p_order) in procedures by episode table (hes_procedures_epi.txt)

- Added description for field (acpdqind) in ACP table (hes_acp.txt)

Version 1.4

- Updated for set 10
 - Added description of the 'match rank' variable now included in HES patients table (hes_patient.txt)
 - Added guidance relating to the variable 'admimeth' found in the hospitalisation (hes_hospital.txt) and episodes table (HES_episodes.txt)
 - Added description relating to handling of unfinished consultant episodes
 - Updated the variable 'ccaprel' to 'ccapcrel' in the critical care table (hes_ccare.txt)
 - Added HES Health Resource Group (HRG) table (hes_hrg.txt)

Version 1.5

- Corrected 'Type' value for field 'admimeth' in hospitalisations and episodes tables

Version 1.6

- Formatted with new agency branding and updated document title
- Included version of HES on front page

Version 1.7

- Updated for set 11
 - Changed the variable order in the HES Patient table (hes_patient.txt)
 - Included the variable 'gen_ethnicity' in the HES Patient table (hes_patient.txt)
 - Included the variable 'ethnos' in the HES Episodes table (hes_episodes.txt)
 - Added a footnote to the HES augmented care period table (hes_acp.txt)
 - Added a footnote to the HES critical care table (hes_ccare.txt)

Version 1.8

- Updated for set 12
 - Added a footnote to the HES hospital table (hes_hospital.txt) about changes to 'duration'
 - Added a footnote to the HES episodes table (hes_episodes.txt) about changes to 'epidur'
 - Added a footnote to the HES augment care periods table (hes_acp.txt) about changes to the 'epidur' and 'acpdur' variables
 - Added a footnote to the HES maternity table (hes_maternity.txt) about changes to 'epidur'
 - Added a footnote to the HES primary diagnosis table (hes_primary_diag_hosp.txt) to clarify the reference to 'primary'

Version 1.9

- Updated for set 13
- Corrected misspelling of column name for spell number field in the HES procedures table

Version 1.10

- Updated for set 14

Version 2.0

- Updated for set 15
- Removed variable 'hrglate' from the Health Resource Group table (hes_hrg.txt). See HES APC Set 15 documentation for further details.

Version 2.1

- Updated for set 16
- Updated to include CPRD Aurum

Version 2.2

- Updated for set 17

Version 2.3

- Updated for set 18: version number, date and linkage set
- Updated information on n_patid_hes
- Updated NIHR logo
- Specified primary keys in each data table

Version 2.4

- Updated for set 19: version number, date and linkage set

Version 2.5

- Updated for set 20: version number, date and linkage set, description associated with the gen_ethnicity variable in the HES patient table

Version 2.6

- Updated for set 21: version number, date and linkage set, footnote relating to the variable “admimeth”

Version 2.7

- Updated type for variable “patid”

Version 2.8

- Updated for Nov2024 set: file names, removed ACP table, date format, variables in patient file, variable type for “firstreg” in Episodes file, variable type for “ccadmitype” in Critical Care file and “hes_yr” in HRG

HES APC: Data Dictionary

1. Patient (hes_patient.txt)

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key]	CHAR	14
pracid	Encrypted unique key given to a practice in CPRD GOLD or CPRD Aurum	INTEGER	8
cprd-mpsid	Encrypted unique key given to a patient when linked to CPRD GOLD or CPRD Aurum	INTEGER	20
gen_ethnicity ¹	Ethnicity derived from HES data (including Admitted patient care, Outpatient, A&E, PROMs and DID)	CHAR	9

2. Hospitalisations (hes_hospital.txt)

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with spno]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation [primary key, in combination with patid]	INTEGER	20
admidate	Date of admission	DATE	yyyy-mm-dd
discharged	Date of discharge	DATE	yyyy-mm-dd
admimeth ¹	Method of admission	CHAR	9
admisorc	Source of admission	INTEGER	8
disdest	Destination on discharge	INTEGER	8
dismeth	Method of discharge	INTEGER	8
duration ²	Duration of hospitalisation spell in days	INTEGER	8
elecdate	Date of decision to admit patient	DATE	yyyy-mm-dd
elecdu	Waiting time (difference in days between elecdate and admidate)	INTEGER	8

¹ From April 2013, National Codes 2A, 2B, 2C and 2D have been introduced to replace National Code 28 'Other means'.

² Values of the 'duration' variable are now provided as generated by HES. These were previously recalculated by the CPRD by incrementing the original values by 1.

3. Episodes (hes_episodes.txt)

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with epikey]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation	INTEGER	20
epikey ³	Episode key uniquely identifying an episode of care [primary key, in combination with patid]	INTEGER	20
admidate	Date of admission	INTEGER	yyyy/mm/dd
epistart	Date of start of episode	INTEGER	yyyy/mm/dd
epiend	Date of end of episode	INTEGER	yyyy/mm/dd
discharged	Date of discharge	INTEGAR	yyyy/mm/dd
eorder	Order of episode within spell	INTEGER	8
epidur ⁴	Duration of episode in days	INTEGER	8
epitype	Type of episode (general, delivery, birth, psychiatric etc.)	INTEGER	8
admimeth ¹	Method of admission	CHAR	9
admisorc	Source of admission	INTEGER	8
disdest	Destination on discharge	INTEGER	8
dismeth	Method of discharge	INTEGER	8
mainspef	Speciality under which consultant is contracted	CHAR	9
tretspef	Speciality under which consultant is working in period of care	CHAR	9
pconsult	Consultant code (pseudonymised)	CHAR	16
intmanig	Intended management	INTEGER	8
classpat	Patient classification: (Actual Management) 1=Ordinary admission; 2=Day case admission; 3=Regular day attendee; 4=Regular night attendee; 5=Mothers and babies using only delivery facilities; 8=Not applicable (other maternity event)	INTEGER	8
firstreg	First regular day or night admission?	INTEGER	8
ethnos	Patient ethnicity as recorded with the HES Admitted Patient Care episode	CHAR	10

³ From April 2013, National Codes 2A, 2B, 2C and 2D have been introduced to replace National Code 28 'Other means'.

³ Only finished consultant episodes occurring within the financial year (up to midnight on 31Mar) are included. Patients with an unfinished consultant episode in the current financial year will have their record represented as a finished episode in the next financial year of HES data. The discharge date of patients with both finished and unfinished consultant episodes in the same spell in the financial year have been set to missing (.)

⁴ Values of the 'epidur' variable are now provided as generated by HES. These were previously recalculated by the CPRD by incrementing the original values by 1.

4. Diagnoses

- **By episode (hes_diagnosis_epi_nnn.txt):** ICD10 codes across an episode

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with epikey & d_order]	CHAR	14
spno	Number uniquely identifying a hospitalisation	INTEGER	20
epikey	Episode key uniquely identifying an episode of care [primary key, in combination with patid & d_order]	INTEGER	20
epistart	Start date of episode of care	INTEGAR	yyyy/mm/dd
epiend	Date of end of episode	INTEGAR	yyyy/mm/dd
ICD	An ICD10 diagnosis code in XXX or XXX.X format	CHAR	9
ICDx	5 th /6 th characters of the ICD code (if available)	CHAR	9
d_order	Ordering of diagnosis code in episode, within range 1-20 [primary key, in combination with patid & epikey]	INTEGER	8

- **By hospitalisation (hes_diagnosis_hosp.txt):** Unique ICD10 codes across a hospitalisation

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with spno & ICD]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation [primary key, in combination with patid & ICD]	INTEGER	20
admidate	Date of admission	INTEGER	yyyy/mm/dd
discharged	Date of discharge	INTEGER	yyyy/mm/dd
ICD	An ICD10 diagnosis code in XXX or XXX.X format [primary key, in combination with patid & spno]	CHAR	9
ICDx	5 th /6 th characters of the ICD code (if available)	CHAR	9

- **Primary* diagnoses across a hospitalisation (hes_primary_diag_hosp.txt)**

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with spno & ICD_PRIMARY]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation [primary key, in combination with patid & ICD_PRIMARY]	INTEGER	20
admidate	Date of admission	INTEGER	yyyy/mm/dd
discharged	Date of discharge	INTEGER	yyyy/mm/dd
ICD_PRIMARY	Primary ICD10 diagnosis code in XXX or XXX.X format	CHAR	9

	[primary key, in combination with patid & spno]		
ICDx	5 th /6 th characters of the ICD code (if available)	CHAR	9

*The first diagnosis recorded during each episode of care in a spell

5. Procedures (hes_procedures_epi.txt)

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with epikey & p_order]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation	INTEGER	20
epikey	Episode key uniquely identifying an episode of care [primary key, in combination with patid & p_order]	INTEGER	20
admidate	Date of admission	INTEGER	yyyy/mm/dd
epistart	Start date of episode of care	INTEGER	yyyy/mm/dd
epiend	Date of end of episode	INTEGER	yyyy/mm/dd
discharged	Date of discharge	INTEGER	yyyy/mm/dd
OPCS	An OPCS 4 procedure code	CHAR	9
evdate	Date of operation / procedure	INTEGER	yyyy/mm/dd
p_order	Ordering of OPCS code in episode, within range 1-24 [primary key, in combination with patid & epikey]	INTEGER	8

6. Critical Care (hes_ccare.txt)

Data in these tables are collected from 2008/2009 onward.

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with epikey]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation	INTEGER	20
epikey	Episode key uniquely identifying an episode of care [primary key, in combination with patid]	INTEGER	20
admidate	Date of admission	INTEGER	yyyy/mm/dd
discharged	Date of discharge	INTEGER	yyyy/mm/dd
epistart	Date of start of episode	INTEGER	yyyy/mm/dd
epiend	Date of end of episode	INTEGER	yyyy/mm/dd
eorder	Order of episode within spell	INTEGER	8
ccstartdate	Date on which the critical care period started	INTEGER	yyyy/mm/dd
ccstarttime	Time at which the critical care period started	CHAR	9
ccdirdydate	Critical care discharge ready date	INTEGER	yyyy/mm/dd
ccdirdytime	Critical care discharge ready time	CHAR	8
ccdisdate	Critical care discharge date	INTEGER	yyyy/mm/dd
ccdistime	Critical care discharge time	CHAR	9
ccadmitype	Critical care admission type	CHAR	9
ccadmisorc	Critical care admission source	INTEGER	8
ccsorcloc	Specific location in the admission source	INTEGER	8
ccdisst	Patient's status at time of discharge	INTEGER	8
ccddest	Critical care discharge destination	INTEGER	8
ccdisloc	Principle location the patient is being discharged to for further care	INTEGER	8
cclev2days	Total calendar days during which level 2 care alone was provided during the period	INTEGER	8
cclev3days	Total calendar days during which level 3 care was provided during the period	INTEGER	8
bcardsupdays	Number of days of basic cardiovascular support	INTEGER	8
acardsupdays	Number of days of advanced cardiovascular support	INTEGER	8
bressupdays	Number of days of basic respiratory support	INTEGER	8
aressupdays	Number of days of advanced respiratory support	INTEGER	8
gisupdays	Number of days of gastrointestinal support	INTEGER	8
liversupdays	Number of days of liver support	INTEGER	8
neurosupdays	Number of days of neurological support	INTEGER	8
rensupdays	Number of days of renal support	INTEGER	8
dermsupdays	Number of days of dermatological support	INTEGER	8

orgsupmax	Maximum number of organ systems supported at any one time, at any point in the critical care period	INTEGER	8
ccunitfun	Critical care unit function	INTEGER	8
unitbedconfig	Critical care unit bed configuration	INTEGER	8
bestmatch	Flag stating whether the row represents the best match between the critical care & episode start & end dates for this critical care period	INTEGER	8
ccapcrel	Comparison of dates of the critical care period and the associated inpatient episode. Used in derivation of the 'bestmatch' field	INTEGER	8

7. Maternity (hes_maternity.txt)

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with epikey]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation	INTEGER	20
epikey	Episode key uniquely identifying an episode of care [primary key, in combination with patid]	INTEGER	20
epistart	Date of start of episode	INTEGER	yyyy/mm/dd
epiend	Date of end of episode	INTEGER	yyyy/mm/dd
eorder	Order of episode within spell	INTEGER	8
epidur	Duration of episode in days	INTEGER	8
numbaby	Number of babies delivered at the end of a single pregnancy. Both live and stillborn babies are counted	CHAR	9
numtailb	Number of baby tails	INTEGER	8
matordr	Order of birth	INTEGER	8
neocare	Neonatal level of care	INTEGER	8
wellbaby	Well baby check flag - indicates whether the episode relates to a well-baby (a neonate receiving normal levels of care, usually given by a mother or mother substitute)	CHAR	9
anasdate	First antenatal assessment date	DATE	yyyy/mm/dd
birordr	The position in the sequence of births	CHAR	9
birstat	Indicates whether the baby was born alive or dead (still birth).	INTEGER	8
biresus	Identifies resuscitation method used to get the baby breathing	INTEGER	8
sexbaby	Sex of baby	CHAR	9
birweit	Weight of the baby in grams immediately after birth	INTEGER	8
delmeth	Method used to deliver a baby that is a registrable birth	CHAR	9
delonset	Method used to induce (initiate) labour, rather than to accelerate it	INTEGER	8
delinten	Intended type of delivery place	INTEGER	8
delplac	Actual type of delivery place	INTEGER	8

delchang	Reason for changing the delivery place type	INTEGER	8
delprean	Anaesthetic or analgesic administered before and during labour and delivery	INTEGER	8
delposan	Anaesthetic or analgesic administered after delivery	INTEGER	8
delstat	Status of the person conducting the delivery	INTEGER	8
anagest	Gestation period in weeks at the date of the first antenatal assessment (calculated from anasdate, gestat and dobbaby)	INTEGER	8
gestat	Length of gestation - number of completed weeks of gestation	INTEGER	8
numpreg	Number of previous pregnancies that resulted in a registered birth (live or still born)	INTEGER	8
matage	Mother's age at delivery	INTEGER	8
neodur	Baby's age in days	INTEGER	8
antedur	Antenatal days of stay	INTEGER	8
postdur	Postnatal days of stay	INTEGER	8

8. Health Resource Group (hes_hrg.txt)

<i>Column name</i>	<i>Description</i>	<i>Type</i>	<i>Format</i>
patid	Encrypted unique key given to a patient in CPRD GOLD or CPRD Aurum [primary key, in combination with epikey]	CHAR	14
spno	Spell number uniquely identifying a hospitalisation	INTEGER	20
epikey	Episode key uniquely identifying an episode of care [primary key, in combination with patid]	INTEGER	20
domproc	NHS Trust derived dominant procedure	CHAR	9
hrglate35	HRG version 3.5 derived by HES	CHAR	9
hrgnhs	NHS Trust derived HRG value	CHAR	9
hrgnhsvn	Version number of Trust derived HRG	CHAR	9
suscorehrg	SUS ^{5*} generated Core Spell HRG	CHAR	9
sushrg	SUS ⁸ generated HRG	CHAR	9
sushrgvers	SUS ⁸ generated HRG version number	NUMERIC	9
hes_yr ^{Error!} Bookmark not defined.	Year of HES record	INTEGER	8

*The first diagnosis recorded during each episode of care in a spell

¹ Variable generated by CPRD.

⁵ The Secondary Uses Service (SUS) supports the NHS and its partners by providing a single source of comprehensive data for 'secondary uses', purposes other than primary clinical care.

